

ISSN 2708-2032
e-ISSN 2708-2040



**INTERNATIONAL
UNIVERSITY**

**INTERNATIONAL
JOURNAL OF INFORMATION
& COMMUNICATION TECHNOLOGIES**

**Volume 2, Issue 1
March 2021**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫНЫҢ БІЛІМ ЖӘНЕ ҒЫЛЫМ МИНИСТРЛІГІ
МИНИСТЕРСТВО ОБРАЗОВАНИЯ И НАУКИ РЕСПУБЛИКИ КАЗАХСТАН
MINISTRY OF EDUCATION AND SCIENCE OF THE REPUBLIC OF KAZAKHSTAN



**INTERNATIONAL JOURNAL OF
INFORMATION AND COMMUNICATION
TECHNOLOGIES**

**МЕЖДУНАРОДНЫЙ ЖУРНАЛ
ИНФОРМАЦИОННЫХ И
КОММУНИКАЦИОННЫХ ТЕХНОЛОГИЙ**

**ХАЛЫҚАРАЛЫҚ АҚПАРАТТЫҚ ЖӘНЕ
КОММУНИКАЦИЯЛЫҚ
ТЕХНОЛОГИЯЛАР ЖУРНАЛЫ**

Том 2, Выпуск 1
Март 2021

Главный редактор – Ректор АО МУИТ,
профессор, д.т.н.
Ускенбаева Р.К.

Заместитель главного редактора –
проректор по НиМД, PhD, ассоц.профессор
Дайнеко Е

Отв. Секретарь – PhD, ассоц.профессор, директор департамента по науке
Кальпеева Ж.Б.

ЧЛЕНЫ РЕДКОЛЛЕГИИ:

Отельбаев М. д.т.н., профессор, АО «МУИТ», Рысбайулы Б., д.т.н., профессор, АО «МУИТ», Куандыков А.А., д.т.н., профессор, АО «МУИТ», Синчев Б.К., д.т.н., профессор, АО «МУИТ», Дузбаев Н.Т., PhD, проректор по ЦИИ, АО «МУИТ», Ыдырыс А., PhD, заведующая кафедрой «МКМ», АО «МУИТ», Касымова А.Б., PhD, заведующая кафедрой «ИС», АО «МУИТ», Шильдибеков Е.Ж., PhD, заведующий кафедрой «ЭиБ», АО «МУИТ», Ипалакова М.Т., к.т.н., ассоц. профессор, заведующая кафедрой «КИИБ», АО «МУИТ», Айтмагамбетов А.З., к.т.н., профессор, АО «МУИТ», Амиргалиева С.Н., д.т.н., профессор, АО «МУИТ», Ниязгулова А.А., к.ф.н., заведующая кафедрой «МиИК», АО «МУИТ», Молдагулова А.Н., к.т.н., ассоциированный профессор, АО «МУИТ», Джоламанова Б.Д., ассоциированный профессор, АО «МУИТ», Prof. Young Im Cho, PhD, Gachon University, South Korea, Prof. Michele Pagano, PhD, University of Pisa, Italy, Tadeusz Wallas, Ph.D., D.Litt., Adam Mickiewicz University in Poznań, Тихвинский В.О., д.э.н., профессор, МТУСИ, Россия, Масалович А., к.ф.-м.н., Президент Консорциума Инфорус, Россия, Lucio Tommaso De Paolis is the Research Director of the Augmented and Virtual Laboratory (AVR Lab) of the Department of Engineering for Innovation, University of Salento and the Responsible of the research group on “Advanced Virtual Reality Application in Medicine” of the DREAM, a multidisciplinary research laboratory of the Hospital of Lecce (Italy), Liz Bacon, Professor, Deputy Principal and Deputy Vice-Chancellor, Abertay University (Great Britain).

Издание зарегистрировано Министерством информации и общественного развития Республики Казахстан. Свидетельство о постановке на учет № KZ82VPY00020475 от 20.02.2020 г.

Журнал зарегистрирован в Международном центре по регистрации сериальных изданий ISSN (ЮНЕСКО, г. Париж, Франция)

Выходит 4 раза в год.

УЧРЕДИТЕЛЬ:

АО «Международный университет информационных технологий»

ISSN 2708-2032 (print)
ISSN 2708-2040 (online)

СОДЕРЖАНИЕ

РАЗРАБОТКА ПРОГРАММНОГО ОБЕСПЕЧЕНИЯ И ИНЖЕНЕРИЯ ЗНАНИЙ

<i>Серікбай Е.Е., Таир Р.Т., Куандыков А.А, Нальгожина Н.Ж.</i>	
Разработка бизнес-процесса для оцифровки автомобильных дорог	10
<i>Жуманбаева С.К., Пащенко Г.Н.</i>	
Проектирование и разработка информационной системы для обработки научных трудов	18
<i>Айтбекова М.Б., Пащенко Г.Н.</i>	
Разработка информационной системы для расчетов рейтингов успеваемости студентов	24
<i>Алимжанова Л.М., Омарова А.Ш., Таштамышева А.Э.</i>	
Исследование актуальных проблем при переходе обучения в онлайн-формат.....	34
<i>Найзабаева Л., Аринова М. С.</i>	
Интеллектуальный анализ и прогнозирование токсичных элементов в почве	39
<i>Имангалиева А.А., Пащенко Г.Н.</i>	
Проектирование и разработка информационной системы для управления научно - образовательной деятельностью Университета	46

ИНФОКОММУНИКАЦИОННЫЕ СЕТИ И КИБЕРБЕЗОПАСНОСТЬ

<i>Базарбеков И.М., Шарипов Б.Ж.</i>	
Система smart кампус в университете: требования, преимущества и недостатки	53
<i>Кенескызы К., Ескермес С.Б.</i>	
Метод машинного обучения для обратных задач теплопроводности	59
<i>Алимжанова Л.М., Панарина А.В.</i>	
Ценность IT-аутсорсинга для клиента	65
<i>Мамен Е.К., Айтим А.К., Аднабеков А.Х., Абиев А.Б., Мустафина А.К.</i>	
Разработка умного холодильника без продавца	71
<i>Ауезова А.С., Муратова К.Н., Синчев Б.</i>	
Методы информационного поиска неструктурированных данных	79
<i>Надіров Н.Қ., Дүйсебекова К.С.</i>	
Разработка системы формирования профиля клиента на основе bigdata с использованием семантического анализа	85
<i>Бердыкулова Г.М.</i>	
Что такое научная статья и как не надо ее писать?	96

ЦИФРОВЫЕ ТЕХНОЛОГИИ В ЭКОНОМИКЕ И МЕНЕДЖМЕНТЕ

Мукан Б., Саркамбаева Ш.Г.

Развитие проектной деятельности в малом и среднем бизнесе в Казахстане 104

Мейрманова Л.Е.

Эффективность применения управления проектами в управлении человеческими ресурсам 113

Алдибекова Н.Б., Тяп А.В., Омаров И.Г., Мохамед А.Х., Алимжанова Л.М.

Использование математического моделирования и программного обеспечения в управлении проектными рисками 119

Омарова А.Ш., Махбаева Ә.Н.

Проблемы и влияние коммуникаций в управлении проектами 129

Момбекова А., Бекболова М.Б.

Влияние аналитики больших данных на эффективность процессов управления проектами ..137

Булантаев А.М., Мусахан Х.Б., Молдагулова А.Н., Сембина Г.К.

Прогноз ожидаемых убытков банка при предоставлении кредита 145

Омарова Е.Г.

Алгоритм автоматизации классификации финансовых активов при розничном кредитовании 150

CONTENTS

SOFTWARE DEVELOPMENT AND KNOWLEDGE ENGINEERING

<i>Alin G.T., Rakhymzhanova N.K.</i> Software development project management: project risk management	9
<i>Zhumanbaeva S.K., Pachshenko G.N.</i> Desining and development of information system for the processing scientific works	19
<i>Aitbekova M.B., Pachshenko G.N.</i> Development of the information system for calculating students' performance rating.....	25
<i>Alimzhanova L.M., Omarova A.S., Tashtamysheva A.E.</i> Investigation of topical problems during the transition of learning in online format.....	35
<i>Naizabayeva L., Arinova M.S.</i> Intellectual analysis and prediction of toxic elements in the soil	40
<i>Imangalieva A., Pachshenko G.N.</i> Development of an information system for managing research and educational activi-ties of the university.....	47
<i>Serikbay Y.Y., Tair R.T., Kuandykov A.A., Nalgozhina N.Zh.</i> Development of a business process for digitizing roads.....	54

INFOCOMMUNICATION NETWORKS AND CYBERSECURITY

<i>Bazarbekov I.M., Sharipov B.Zh.</i> Smart campus system in the university: requirements, advantages and disadvantages.....	62
<i>Keneskyzy K., Yeskermes S.B.</i> Machine learning method for inverse heat conduction problems	68
<i>Alimzhanova L.M., Panarina A.V.</i> The value of IT outsourcing for the client	74
<i>Mamen Y.K., Aitim A.K., Adnabekov A.H., Abiyev A.B., Mustafina A.K.</i> Development of a smart refrigerator without a seller	80
<i>Auyezova A.S., Muratova K.N., Sinchev B.</i> Methods of information search for unstructured data	88
<i>Nadirov N. To., Duisenbekova K. S.</i> Development of a client profile formation system based on Big data using semantic analysis	94
<i>Berdykulova G.M.</i> What is an academic article or how not to write it?.....	105

DIGITAL TECHNOLOGIES IN ECONOMICS AND MANAGEMENT

<i>Mukan B., Sarkambaeva S.G.</i> Development of project activities in small and medium-sized businesses in Kazakhstan	113
<i>Meirmanova L.Ye.</i> Efficiency application project management in human resource management.....	122

<i>Aldibekova N.B., Tyan A.V., Omarov I.G., Mohamed A. Hamada., Alimzhanova L.M.</i>	
Using mathematical modelling and software programming in project risk management	128
<i>Omarova A., Makhbayeva A.</i>	
Challenges and impact of communication in project management	138
<i>Mombekova A., Bekbolova M.B.</i>	
The impact of big data analytics on the effectiveness of project management processes	146
<i>Bulantayev A.M., Musakhan K.B., Moldagulova A.N., Sembina G.K.</i>	
Forecasting expected bank losses at granting a loan.....	154
<i>Omarova Ye.G.</i>	
Algorithm for automating the classification of financial assets in retail lending	159

МАЗМҰНЫ

БАҒДАРЛАМАЛЫҚ ҚАМТАМА ҚҰРУ ЖӘНЕ БІЛІМ ТЕХНИКАСЫ

<i>Алин Г.Т., Рахимжанова Н.К.</i>	
Бағдарламалық даму жобасын басқару: жобаның тәуекелділігін басқару	9
<i>Жуманбаева С.К., Пащенко Г.Н.</i>	
Ғылыми еңбектерді өңдеуге арналған ақпараттық жүйені жобалау және зерттеу	19
<i>Айтбекова М.Б., Пащенко Г.Н.</i>	
Оқушылардың үлгерімін бағалауға арналған ақпараттық жүйе құру	25
<i>Алимжанова Л.М., Омарова А.Ш., Таштамышева А.Э.</i>	
Білім берудің онлайн форматқа көшуіндегі өзекті мәселелерді зерттеу	35
<i>Найзабаева Л., Аринова М. С.</i>	
Жер қыртысындағы улы элементтерді интеллектуалды талдау және болжау	40
<i>Иманғалиева А.А., Пащенко Г.Н.</i>	
Университеттің ғылым және білім беру қызметін басқару ақпараттық жүйесін жобалау және әзірлеу	47
<i>Серікбай Е.Е., Таур Р.Т., Қуандықов А.А., Нальгожина Н.Ж.</i>	
Жолдарды цифрландырудың бизнес процесін дамыту	54

ИНФОКОММУНИКАЦИЯЛЫҚ ЖЕЛІЛЕР ЖӘНЕ КИБЕРҚАУІПСІЗДІК

<i>Базарбеков И.М., Шарипов Б.Ж.</i>	
Университеттегі Smart кампус системасы: талаптар, артықшылықтары мен кемшіліктері ...	62
<i>Кенесқызы К., Ескермес С.Б.</i>	
Кері жылу өткізгіштік есептеріне арналған машиналық оқыту әдісі	68
<i>Алимжанова Л.М., Панарина А.В.</i>	
Клиент үшін ІТ аутсорсингтің мәні.....	74
<i>Мамен Е.К., Әйтім Ә.Қ., Аднабеков А.Х., Абиев А.Б., Мустафина А.Қ.</i>	
Сатушысыз ақылды тоңазытқышты құру	80
<i>Ауезова Ә.С., Муратова К.Н., Синчев Б.</i>	
Құрылымданбаған деректерді ақпараттық іздеу әдістері	88
<i>Нәдіров Н.Қ., Дуйсебекова К.С.</i>	
Семантикалық талдауды қолдану арқылы Bigdata негізінде клиент профилін құру жүйесін қалыптастыру	94
<i>Бердыкулова Г.М.</i>	
Ғылыми мақала дегеніміз не немесе оны қалай жазбауға болады?	105

ЭКОНОМИКА ЖӘНЕ МЕНЕДЖМЕНТТЕГІ ЦИФРЛЫҚ ТЕХНОЛОГИЯЛАР

Мұқан Б., Саркамбаева Ш.Г.

Қазақстандағы шағын және орта бизнесте жобалау қызметін дамыту 113

Мейрманова Л.Е.

Адам ресурстарын басқаруда жобаларды басқаруды қолданудың тиімділігі 122

Алдибекова Н.Б., Тяп А.В., Омаров И.Г., Мохамед А.Х., Алимжанова Л.М.

Жобалық тәуекелдерді басқаруда математикалық модельдеу мен бағдарламалық жасақтаманы қолдану 128

Омарова А.Ш., Махбаева Ә.Н.

Жобаларды басқарудағы коммуникацияның мәселелері мен әсері 138

Момбекова А., Бекболова М.Б.

Үлкен деректер аналитикасының жобаны басқару процестерінің тиімділігіне әсері 146

Булантаев А.М., Мұсахан Х.Б., Молдагулова А.Н., Сембина Г.К.

Несие беру үшін банктен күтілетін шығындардың болжауы 154

Омарова Е. Ғ.

Бөлшек несиелеудегі қаржы активтерін жіктеуді автоматтандыру алгоритмі 159

Mamen Y.K.*, Aitim A.K., Adnabekov A.H., Abiyev A.B., Mustafina A.K.

International Information Technology University, Almaty, Kazakhstan

DEVELOPMENT OF A SMART REFRIGERATOR WITHOUT A SELLER

Abstract. Today's technological progress has allowed the use of intelligent devices and machines almost everywhere. The refrigerator is considered one of the most important appliances, which is used almost everywhere for the purpose of storing food, beverages, and medicines at low temperatures and in a closed place to avoid exposure. There is such a problem as the lack of cashless vending machines, the unavailability of information about the location of vending machines, etc. As a solution to the above problems, a smart re-frigerator is offered. The proposed smart refrigerator uses a Radio Frequency Identification (RFID) reader, an Arduino Uno microcontroller, RFID tags for all items in the refrigerator, a user-friendly application developed using Microsoft Visual Studio, Python, a core MySQL database developed by vendors to store information related to each purchased item, and a GSM/GPS A7 module, with support for GPRS data transmission.

Keywords. Smart refrigerator, radio frequency identification, internet of things, cashless payments, electronic item surveillance.

Introduction

This article focuses on the development of a smart fridge, an intelligent system, a smart, autonomous showcase that works without a cashier and an operator. When embedding RFID systems in the refrigerator, the RFID-tagged products can be automatically identified. In the modern world, the "Internet" as an integrated information system of virtual space generates a special reality, an Internet culture with its concepts, values, way of thinking and language. With the rapid development of technology in the world and in the country, more and more familiar things are changing, transforming with the new requirements of time, and changing beyond recognition. The relevance of the development of a smart commercial refrigerator has been revealed based on the analysis of the market and the nascent technologies.

The Smart Refrigerator project is a shopping kiosk for selling various products, drinks, dishes, and other types of food. The relevance of the development of such a project is caused by the fact that non-cash payments are developing in the Kazakhstani market every day, for example, in 2019, for the first time in history, non-cash payments exceeded cash payments in our country. And this gives an impetus to the development of online payments and the growth of online services. This adds value to such a project as creation of a smart commercial refrigerator. In addition to the development of non-cash payments, an important factor was the development of mobile applications, increased efficiency and productivity, the emergence of 3G, 4G networks and the overall development of smartphones in general.

The development of a refrigerator is a conventional refrigerator display that is being enhanced by the Internet of Things. The task of a smart refrigerator is to make it as easy as possible for the user to receive the goods and make a payment quickly. Development requires the utmost simplification of all processes to maximize efficiency and reduce development costs. The Internet of Things will be used for the development of the project: GSM, RFID, Raspberry Pi, RFID reader, magnetic door, and others. To certify a project as quickly as possible, you will need to use an agile methodology. To reduce development costs, it will be necessary to develop a mobile application based on the Flutter framework in the dart language.

For projects such as a smart refrigerator, it will be very important to use the agile method and microservices architecture. Microservices are another type of software development. This term specifically describes a style of software development that programmers find more and more attractive. Many projects have used this style over the past few years and the results so far have been very positive. So much so that for most of our colleagues, this style is becoming the main style of software development. The microservices architecture style is an approach in which one application is built as a collection of small services, each of which runs on its own and interacts with others using lightweight mechanisms, usually HTTP. These services are based on business needs and are deployed independently using a fully automated environment. There is an absolute minimum of centralized management of these services. By themselves, these services can be written in different languages and use different storage technologies.

Backgrounds and related works

The presented iFridge smart refrigerator uses the RFID technology. The goal of iFridge is to create a refrigerator with an intelligent system, using the RFID technology that allows the user to

manage the products stored in the refrigerator. The iFridge provides the user with many features. It allows the user to efficiently manage and locate items stored in the refrigerator and provides the user with a food tracking feature using RFID tags that are attached to each item.

Numerous applications of RFID technology in the food industry include supply chain management, food temperature monitoring, and food safety assurance. In Supply Chain Management System RFID tags are used to track food products during distribution and storage. In this application the RFID technology serves as a replacement for barcode scanners.

RFID systems do not require a line of sight to read the tag, their range is greater than that of a barcode, readers can communicate with multiple RFID tags at the same time, and tags can store more data compared to a barcode. With the ability to scan multiple tags in a three-dimensional space known as the survey area, the RFID technology also makes it easier to automatically ship products from a warehouse to a retail store. The RFID system implemented in the store can be used to maintain an accurate database of its inventory, which automatically alerts the warehouse management system when inventory runs out. Wal-Mart has implemented such a system of timely shipment of products. Thus, RFID technology will provide benefits such as faster and more efficient warehouse operations, better inventory tracking throughout the supply chain, and improved forecasting.

Wal-Mart store Inc. was the first major company to push for the introduction of RFID in the supply chain management. In June 2003, WalMart announced that it would require its top 100 suppliers to place RFID tags on shipping crates and pallets by January 1, 2005. Each label will store an electronic product code (EPC), which will be used to track products as they arrive at Wal-Mart distribution centers, and then, in turn, are sent to individual stores. The 300 largest suppliers place RFID tags on all pallets and crates of products. British Telecommunications has launched a new online, real-time food tracking system based on RFID technology [1]. This system tracks products in real time to speed up and reduce the cost of product recalls. The online network provides retailers and their suppliers with access to real-time synchronized data on the current and historical status of all items in the warehouse as they move through the supply chain. This system combines barcodes and RFID read/write tags with a secure Internet data exchange platform. eProvenance (Bordeaux Sedex, France) has developed an RFID-based tracking system to preserve the quality of fine wines and track their origin. This RFID system consists of 3 components. The first component is a semi-active 13.56 MHz RFID tag placed inside each a case of wine. This semi-active tag allows wine producers and distributors to track and record the ambient temperature in each case wine 3 times a day. The second component is a 13.56 MHz passive RFID tag with a unique code attached to the bottom of each bottle for inventory tracking and management. The third component is a patented and tamper-proof neck at the base of the capsule in each bottle. The seal has a unique identification code printed in invisible ink, which contains the identification numbers of both semi-active and passive tags. All 3 components are linked together with their unique identification numbers in an online database [2].

The smart refrigerator with multimedia capabilities for better nutrition and health, proposed in [4], focuses on the refrigerator as one of the devices that have been changed from the traditional, designed only for storing food, to the integration of the refrigerator with a TV, radio, Internet, and computer. The goal was to develop a project to create an application for a smart refrigerator with the aim of having a positive impact on the health and well-being of consumers to achieve their goals and objectives. The proposed refrigerator has the following features: recommendation of suitable recipes for different users according to the stored information, creation of different recipes that can be selected from different cooking methods, notification of the user of food facts, specification of the type of prohibited products and the types that are allowed for users suffering from a certain disease, making purchase lists, displaying calories for all products stored in the refrigerator, scanning products, and storing information in a database to alert the user about products that are about to expire. The main purpose of the RFID refrigerator is to implement a refrigerator to support an updated list of items stored therein. To do this, each product is marked with an RFID tag, and when the user

places it in the refrigerator, the RFID reader will be able to identify the unique RFID tag of the product and register it both in stock and in the database.

The manufacturer of a combined refrigerator with a freezer with a cooling medium from Siemens in has developed a smart refrigerator that meets the needs of the customer. Their main goal is to create a smart refrigerator with all possible features that customers expect will encourage family members to eat and watch TV in the kitchen, rather than in the living room. The Cool Media combination refrigerator and freezer has a built-in 38 cm LCD screen [3]. This LCD TV is different from any other LCD TV because it is movable, and the user can adjust its position anywhere. The LCD also has a power management app which offers the user the choice of connecting a satellite, DVD, video camera, and headphones.

The main goal of the LG TV refrigerator was to create a refrigerator that changes the idea of the need for a traditional refrigerator that stores food to keep it cool, to the need for a smart refrigerator with compatible features. The LG TV refrigerator comes with a 15-inch touch-screen LCD TV with a power management app, DVD connection, and FM radio. In addition, the manufacturer has created an in-refrigerator Weather plus LCD display (another LCD that is smaller than a 4-inch LCD TV) that is specifically designed to display forecasts based on your region, date, and time. This LCD display features a calendar with the ability to set an alarm, eight recipe banks of categories with 100 pre-loaded recipes, and a personalized digital photo album.

The manufacturer of the four-door refrigerator with a freezer Samsung in created this refrigerator to meet the customer's need for a refrigerator that has a built-in 10.4-inch wireless LCD screen. This LCD display has many features designed for the user, including a power management app. Some of the refrigerator's features include a TV connection, a video player, an Internet connection, and the ability to easily find items in an unmarked section of the refrigerator. In addition, it provides communication between smartphones and the refrigerator thanks to the Bluetooth function. The food management app allows the consumer to manage the food inside the refrigerator. It provides the user with different categories of products, and according to this category, the user can easily record the products using the touch LCD display. The recorded item is stored in the application database, so the user can change the list at any time they want. In addition, the application provides the user with the ability to save their favorite recipes and provides the ability to record notes and diaries. In the Samsung refrigerator, the user needs to manage the food manually by inserting information about each item into the app's database, but in the smart refrigerator, the user does not need to do this, because the refrigerator has an RFID reader that will identify the items and store the necessary ones [4].

RFID technology basics

Radio frequency identification (RFID) belongs to the Auto-ID family, which aims to identify objects using appropriate technologies. Among them, we list smart cards, OCR, biometric procedures, magnetic cards, barcodes, and RFID [4]. The use of the technology must be clearly defined and must meet some criteria regarding the business case model. Bare codes are a famous identification system, but it suffers from some disadvantages, such as sensitivity to the environment (dirt, moisture, abrasion, etc), the need for line-of-sight (LOS) lines between the code and the reader, and the inability to update its contents since the barcodes are finally an image.

However, with RFID, everything is different since the line of sight is not required. RFID tags are of different types and are grouped mainly depending on the reading range, read / write capabilities, and energy autonomy (passive semi-passive/active).

An RFID tag is a kind of silicon memory connected to a resonating antenna. The chip contains at least a unique serial identification number that provides identification of the associated object attached to it. Thanks to the miniaturization process, it becomes possible to integrate the RFID tag into "any object", considering the tag selection criteria, to ensure communication with the base station. A large palette of imaginative applications can be presented, such as: logistics, transportation, item asset management, electronic item surveillance (EIS), real-time location system (RTLS),

healthcare, maintenance, and even in the smart home, where any device can be turned into an intellectual object of communication. In our work, we suggest that each purchased product (milk, chocolate...) should be marked with a UHF RFID tag. This link cannot be achieved without considering the ecosystem solution, especially for all shareholders who may be interested in a specific return on investment (ROI) in various vertical activities, such as retail, warehouse management and logistics.

The basic RFID system consists of three parts. The first element is a label, which is a kind of a silicon memory chip connected to an antenna. The following paragraphs give a brief overview of the various tag families according to some criteria. The second element is the base station (reader). The third describes the software stack (middleware, application).

There are many types of RFID tags. The choice depends largely on the limitations of the application. Typically, tags are grouped according to common criteria related to energy, read range and capabilities, memory access.



Figure 1 - The motion sensor recognition using RFID tag technology

An RFID tag (Fig.1) is a kind of silicon memory connected to a resonating antenna. The chip contains at least a unique serial identification number that provides identification of the associated object attached to it. Thanks to the miniaturization process, it becomes possible to integrate an RFID tag into "any object", considering the criteria for selecting the tag, to guarantee communication with the base station. A large palette of imaginative applications can be presented, such as: logistics, transportation, item asset management, electronic item surveillance (EIS), real-time location system (RTLS), healthcare, maintenance, and even in the smart home, where any device can be. it turns into an intellectual object of communication. In our work, we suggest that every product purchased (milk, chocolate, etc.) should be marked with a UHF RFID tag. This connection could not be provided without considering an ecosystem solution, especially for all stockholders who may be interested in a specific return on investment (ROI) in various vertical lines of business, such as retail, warehouse management, and logistics.

The basic RFID system consists of three parts. The first element is a label, which is a kind of silicon memory connected to an antenna. The following paragraphs give a brief overview of the various tag families according to some criteria. The second element is the base station (reader). The third describes the software stack (middleware, application).

There are many types of RFID tags [8]. The choice depends largely on the limitations of the application. Typically, tags are grouped according to common criteria related to energy, read range, memory access, and read capabilities.

Energy: According to this metric, three categories of systems are defined. The first is a passive tag; the latter do not have a built-in battery, but they collect energy wirelessly from the electromagnetic field generated by the base station. The second type is called a semi-passive tag; the

necessary energy for the communication process between the base station and the tag is provided by the reader, but this type of tag contains an on-board battery reserved only for powering additional units, such as built-in sensors. The latter type is associated with an active RFID tag. This category includes an onboard power source; the tag can be described as a transmitter.

Reading distance: According to this criterion, tags are classified according to communication distance, proximity, proximity, long distance [9].

The ability to read/write: this criterion describes the tag memory access methodology. Basically, we distinguish between read only, write once, read many, read/write.

Structure of the smart fridge architecture




Figure 2 - Structure of the Smart refrigerator

Figure 2 shows the physical structure of the solution.

It is needed to highlight the following elements:

- 1) GSM/GPS module A7, with support for GPRS data transmission;
- 2) Raspberry Pi Microprocessor;
- 3) sensor of door opening;
- 4) Circuit board (400 pins)
- 5) Camera

The Project provides the following functionalities:

- Availability of information about the location of Storefronts and products inventory;
- Possibility of non-cash sale of beverages
- The customer service speed is 15 seconds. The queue of buyers and direct contact between people is excluded.
- Purchase in 3 steps. To open/select the product/confirm the purchase.



Figure 3 - Stages of implementation

How does it work (Fig.3)?

- 1) User authorization-linking a bank card
- 2) Removing the QR code of the refrigerator
- 3) Scan QR-code
- 4) Opening the doors
- 5) Grab&Go - automatical withdrawal of the fundsn from the client's accounts

Conclusion

Radio Frequency Identification (RFID) is an alternative technology that can replace traditional Universal Product Code (UPC) barcodes. RFID allows you to identify an object at a distance, without requiring a line of sight. RFID tags can also include additional data, such as product and manufacturer information and can transmit measured environmental factors such as temperature and relative humidity [10]. This article presents key concepts and terminology related to RFID technology and its applications in the food industry. The components and operating principles of the RFID system are described. Numerous applications of RFID technology in the food industry (supply chain management, food temperature monitoring, and food safety) are discussed. Challenges in implementing RFID technology are also discussed in terms of read range, read accuracy, heterogeneous standards, cost, disposal issues, privacy, and security.

Based on all the research conducted in the framework of the project to create a smart vending machine using the Internet of Things and microservices architecture, the results were achieved: the project conducted a carefully announced market analysis with specific information. Chart of the workflow was designed from the beginning to the end. The possible risks at the project launch and the risks that the project users will not immediately get used to the new technical solution are analyzed. Teamwork has been analyzed and planned in each project with specific roles prescribed in each project area . And in the end, we can say based on all these data, the project has a great potential for growth and development, thereby solving the problems of the population with a quick purchase of goods available 24 hours a day. Another important advantage of this smart refrigerator project is that it has a large export potential and is not geographically tied to any country.

REFERENCES

1. Abderrazak Hachani, Hichem Bargaoui, Lamis Amamou, RFID Social Networking: Measuring Consumer Satisfaction Index by means of NFC, International Conference on Advances in Information Processing and Communication Technology IPCT 2014, Rome, Italy, P.189-196.
2. Darianian, M., and Michael, M. P. Smart home mobile RFID -based internet-of-things systems and services. In Proc. ICACTE (2008), P.116–120.
3. Gu, H., and Wang, D. A content-aware fridge based on RFID in smart home for home-healthcare. In Proc. ICACT (2009), P.987–990.

4. Connolly C. 2007. Sensors trends in processing and packaging of foods and pharmaceuticals. *Sens Rev* 27(2):P.103–8.
5. Lei Xie, Bo Sheng, Yafeng Yin, Sanglu Lu, Xiang Lu "iFridge: An intelligent Fridge for Food Management based on RFID Technology" *UbiComp'13*, Zurich, Switzerland, September 2013, P.291-294.
6. S. Luo, H. Xia, Y. Gao, J. Jin, R. Athauda "Smart Fridge with Multimedia Capability for Better Nutrition and Health" *IEEE International Symposium on Ubiquitous Multimedia Computing*, 2008, P.39-44.
7. Kaihara, T. (2003). Multi-agent based supply chain modelling with dynamic environment. *International Journal of Production Economics*, 85(2), P.263–269.
8. Kim, K. S., & Han, I. (2001). The cluster-indexing method for case-based reasoning using self-organizing maps and learning vector quantization for bond rating cases. *Expert Systems with Applications*, 21, P.147–156.
9. Kolodner, J. (1993). *Case-based reasoning*. San Mateo, Ca: Morgan Kaufman. Kuo, R. J., Kuo, Y. P., & Chen, K. Y. (2005). Developing a diagnostic system through integration of fuzzy case-based reasoning and fuzzy ant colony system. *Expert Systems with Applications*, 28(4), P.783–797.
10. Speakman, R., & Sweeney, P. (2006). RFID: from concept to implementation. *International Journal of Physical Distribution & Logistics Management*, 36(10), P.736–754.

Мамен Е.К.¹, Айтим А.К.¹, Аднабеков А.Х.¹, Абиев А.Б.¹, Мустафина А.К.¹
Разработка умного холодильника без продавца

Аннотация. На сегодняшний день технический прогресс позволил использовать интеллектуальные устройства и машины практически повсеместно. Холодильник считается одним из важнейших приборов, который используется почти везде для хранения продуктов, напитков и лекарств при низких температурах и в закрытом месте, чтобы избежать воздействия. Сейчас на торговых площадках существует проблема, как отсутствие безналичных торговых автоматов, отсутствие информации о местонахождении торговых автоматов. В качестве решения вышеперечисленных проблем предлагается умный холодильник. Предлагаемый умный холодильник использует считыватель радиочастотной идентификации (RFID), микроконтроллер Arduino Uno, RFID-метки для всех предметов в холодильнике, удобное приложение, разработанное с использованием Microsoft Visual Studio, Python, базовой базы данных MySQL, разработанной поставщиками для хранения информация, связанная с каждым приобретенным товаром и модулем GSM/GPS A7 с поддержкой передачи данных GPRS.

Ключевые слова. Умный холодильник, радиочастотная идентификация, интернет вещей, безналичный расчет, электронное наблюдение за предметами.

Мамен Е.К.¹, Айтим А.К.¹, Аднабеков А.Х.¹, Абиев А.Б.¹, Мустафина А.К.¹
Сатушысыз ақылды тоңазытқышты құру

Андатпа. Бүгінгі күні технологиялық жетістіктер интеллектуалды құрылғылар мен машиналарды барлық жерде қолдануға мүмкіндік береді. Тоңазытқыш бүкіл жерде тамақ, сусындар мен дәрі-дәрмектерді төмен температурада және қоршаған ортамен әсер етпеу үшін жабық жерде сақтауға арналған маңызды құрылғылардың бірі болып саналады. Қазіргі кезде сауда алаңдарында қолма-қол ақшасыз сауда автоматтарының жетіспеушілігі, сауда автоматтарының орналасқан жері туралы ақпараттың болмауы байқалады. Жоғарыда айтылған мәселелердің шешімі ретінде ақылды тоңазытқыш ұсынылады. Аталған ақылды тоңазытқышта радиожилікті сәйкестендіру (RFID) оқырманы, Arduino Uno микроконтроллері, тоңазытқыштағы барлық элементтерге арналған RFID тегтері, Microsoft Visual Studio, Python, сақтау үшін сатушылар әзірлеген MySQL базалық дерекқоры пайдаланылатын ыңғайлы қосымшаны қолданылады, әрбір сатып алынған өнімге және GPRS деректерін беруді қолдайтын GSM/GPS A7 үлгісіне қатысты ақпарат беріледі.

Түйінді сөздер. Ақылды тоңазытқыш, радиожилікті сәйкестендіру, заттар ғаламторы, қолма-қол ақшасыз төлемдер, объектілерді электронды бақылау.

Авторлары туралы мәлімет:

Мамен Ерболат Керімқұлұлы, «Ақпараттық жүйелер» кафедрасының оқытушысы, магистранты, Халықаралық ақпараттық технологиялар университеті.

Әйтiм Әйгерiм Қайратқызы, «Ақпараттық жүйелер» кафедрасының аға оқытушысы, техника ғылымдарының магистрі, Халықаралық ақпараттық технологиялар университеті.

Аднабеков Алмасбек Хусанұғли, «Ақпараттық жүйелер» кафедрасының магистранты, Халықаралық ақпараттық технологиялар университеті.

Абиев Амирбек Бахытжанұлы, «Ақпараттық жүйелер» кафедрасының магистранты, Халықаралық ақпараттық технологиялар университеті.

Мустафина Ақкыз Кураковна, оқу-әдістемелік және академиялық жұмыс департаментінің директоры, техника ғылымдарының кандидаты, «Ақпараттық жүйелер» кафедрасының доценті, Халықаралық ақпараттық технологиялар университеті.

Сведения об авторах:

Мамен Ерболат Керімқұлұлы, тьютор, магистрант кафедрасы «Информационных систем», Международный университет информационных технологий

Әйтiм Әйгерiм Қайратқызы, магистр технических наук, сениор-лектор кафедрасы «Информационных систем», Международный университет информационных технологий.

Аднабеков Алмасбек Хусанұғли, магистрант кафедрасы «Информационных систем», Международный университет информационных технологий.

Абиев Амирбек Бахытжанұлы, магистрант кафедрасы «Информационных систем», Международный университет информационных технологий.

Мустафина Ақкыз Кураковна, кандидат технических наук, доцент кафедрасы «Информационных систем», директор департамента по учебно-методической и академической работе.

About the authors:

Yerbolat K. Mamen, tutor, master student, Information Systems Department, International Information Technology University

Aigerim K. Aitim, Master of Technical Sciences, senior lecturer, Information Systems Department, International Information Technology University.

Almasbek H. Abnabekov, master student, Information Systems Department, International Information Technology University

Amirbek B. Abiev, master student, Information Systems Department, International Information Technology University

Akkyz K. Mustafina, Candidate of Technical Sciences, Associate Professor, Information Systems Department, Director of the Academic Affairs Department.

INTERNATIONAL JOURNAL OF INFORMATION AND
COMMUNICATION TECHNOLOGIES

МЕЖДУНАРОДНЫЙ ЖУРНАЛ ИНФОРМАЦИОННЫХ И
КОММУНИКАЦИОННЫХ ТЕХНОЛОГИЙ

ХАЛЫҚАРАЛЫҚ АҚПАРАТТЫҚ ЖӘНЕ
КОММУНИКАЦИЯЛЫҚ ТЕХНОЛОГИЯЛАР ЖУРНАЛЫ

Ответственный за выпуск	Есбергенов Досым Бектенович
Редакторы	Далабаева Айсара Касымбековна Садганова Эльмира Абуовна
Компьютерная верстка	Туратауова Айжаркын Ахметовна
Компьютерный дизайн	Туратауова Айжаркын Ахметовна

Редакция журнала не несет ответственности за
недостоверные сведения в статье и
неточную информацию по цитируемой литературе

Подписано в печать 26.03.2021 г.
Тираж 500 экз. Формат 60x84 1/16. Бумага тип.
Уч.-изд.л. 10.1. Заказ №158

Издание международный университет информационных технологий
Издательский центр КБТУ, Алматы, ул. Толе би, 59